

Medicinpræparater der kan øge svedtendensen og i nogle tilfælde medføre hyperhidrose.

Listen med medicinpræparater er oversat fra International Hyperhidrosis Society's hjemmeside www.SweatHelp.org.

Visse receptpligtige og ikke receptpligtige medicinpræparater kan have den bivirkning, at de forårsager øget svedtendens (sekundær hyperhidrose). På denne liste findes forskellige medicinpræparater med denne mulige bivirkning.

Medicinlisten er ikke fuldstændig, og den kan *ikke* erstatte konsultationen med en læge. Selvom sveden er en kendt bivirkning af de anførte medikamenter, er det i de fleste tilfælde kun en lille procentdel af mennesker, der bruger medicinen, som egentlig oplever øget svedtendens (i nogle tilfælde mindre end 1%).

Medicinen er listet alfabetisk, og amerikanske mærker er angivet i parentes. Medicin noteret med "*" og med fed skrift, er de mest tilbøjelige til at forårsage sved. Hyppigheden af sveden som en bivirkning af præcis disse medikamenter kan være så høj som 50%. Medicin angivet med "†" er medicin, der hyppigt ordineres og dem med "P" bruges ofte til behandlingen af børn.

***/Fedskrift** -- Kendt for hyppigt at have øget svedtendes som bivirkning

† -- Hyppigt ordineret medikamenter

P -- Ofte brugt i pædiatrien (behandling af børn)

- Abciximab (ReoPro®)
- Acamprosate (Campral®)
- Acetaminophen og Tramadol (UltracetTM)
- Acetophenazine (NA)
- Acetylcholine (Miochol-E®) **P**
- Acetylcysteine (Acetadote®) **P**
- Acitretin (Soriatane®)
- Acrivastine and Pseudoephedrine (Semprex®-D)
- † Acyclovir (Zovirax®) **P**
- Adenosine (Adenocard®; Adenoscan®)
- † Albuterol (Proventil® HFA Inhalation Aerosol)
- Alemtuzumab (Campath®)
- Alizapride (NA)
- Almotriptan (AxertTM)
- Alosetron (Lotronex®)
- Amonafide (NA)
- Ambenonium (Mytelase®)
- Amitriptyline (Elavil®)
- † Amlodipine (Norvasc®)
- Amoxapine (NA)
- Amphotericin B (Liposomal) (AmBisome®)
- Anastrozole (Arimidex®)
- Anidulafungin (EraxisTM)
- Antihemophilic Factor (Recombinant) (Advate; Helixate® FS; Kogenate® FS; RecombinateTM; Antithymocyte Globulin (Equine) (Atgam®)



- Antithymocyte Globulin (Rabbit) (Thymoglobulin®) **P**
- Apomorphine (ApokynTM)
- Aprepitant (Emend®)
- Aripiprazole (Abilify®)
- Arsenic Trioxide (TrisenoxTM)
- Atazanavir (Reyataz®)
- Atomoxetine (Strattera®) **P**
- † Atorvastatin (Lipitor® Tablets)
- Atovaquone (Mepron®) **P**
- Azacitidine (VidazaTM)
- Aztreonam (Azactam®)
- † Bacitracin (AK-Tracin® [DSC]; Baciguent® [OTC]; BaciiM®)
- Baclofen (Lioresal®) **P**
- Benazepril (Lotensin®)
- Benzphetamine (Didrex®)
- Betamethasone (Beta-Val®; Celestone® Soluspan®; Celestone®; Diprolene® AF; Diprolene®; Luxiq®; Maxivate®)
- Bethanechol (Urecholine®)
- Bexarotene (Targretin®)
- Bicalutamide (Casodex®)
- Bretylium [DSC] (NA) **P**
- Bumetanide (Bumex®)
- Buprenorphine (Buprenex®; Subutex®)
- Buprenorphine and Naloxone (Suboxone®)
- † Buproprion (Wellbutrin® SR Sustained-Release Tablets)
- Buserelin (NA)
- Buspirone (BuSpar®)
- Butorphanol (Stadol®)
- Calcitonin (ForteCal®; Miacalcin®)
- Candesartan (Atacand®)
- Candesartan and Hydrochlorothiazide (Atacand HCTTM)
- Capecitabine (Xeloda®)
- Carbachol (Carbastat® [DSC]; Isopto® Carbachol; Miostat®)
- Carbamazepine (Carbatrol®; Epitol®; EquetroTM; Tegretol®-XR; Tegretol®)
- Carvedilol (Coreg®)
- Caspofungin (Cancidas®)
- Cefditoren (SpectracefTM)
- Ceftriaxone (Rocephin®)
- Celecoxib (Celebrex®)
- Cetiedil (NA)
- Cevimeline (Evoxac®)
- Cidofovir (Vistide®) **P**
- † Ciprofloxacin (Apo-Ciproflox®; Ciloxan®; Cipro® XL; Cipro®; CO Ciprofloxacin; Gen-Ciprofloxacin; Novo- Ciprofloxacin; PMS-Ciprofloxacin; ratio-Ciprofloxacin; Roxal-ciprofloxacin) **P**
- † Citalopram (Celexa®)
- Cladribine (Leustatin® Injection)
- Clenbuterol (NA)



- ClomiPRAMINE (Anafranil®)
- Clonixin (NA)
- Clovoxamine (NA)
- Clozapine (Clozaril®; FazaClo®)
- Cyclosporine (Gengraf®; Neoral®; RestasisTM; Sandimmune®)
- Cytomegalovirus Immune Globulin (Intravenous-Human) (CytoGam®) **P**
- Daclizumab (Zenapax®)
- Danazol (Danocrine® [DSC])
- Dantrolene (Dantrium®)
- Degarelix (NA)
- Demecarium (Humorsol ®)
- Denileukin (Ontak® Vials)
- ***Desipramine (Norpramin®)**
- Desvenlafaxine (Pristiq®)
- Dextroamphetamine and Amphetamine (Adderall XR®; Adderall®) Diflunisal (Dolobid® [DSC])
- † Digoxin (Digitek®; Lanoxicaps®; Lanoxin®)
- Dihydroergotamine (D.H.E. 45®; Migranal®)
- Diphenoxylate and Atropine (Lomotil®; Loxon®) Dipyridamole (Persantine®)
- Dipyrone (NA)
- Dirithromycin (Dynabac® [DSC])
- Divalproex Sodium (Depakote® ER) Dofetilide (TikosynTM)
- Dolasetron (Anzemet®)
- Donepezil (Aricept® ODT; Aricept®) Doxapram (Dopram®)
- Doxazosin (Cardura®)
- Doxepin (PrudoxinTM; Sinequan® [DSC]; Zonalon®)
- Doxorubicin (Liposomal) (Doxil®)
- Dronabinol (Marinol®)
- Duloxetine (Cymbalta®)
- Echothiophate Iodide (Phospholine Iodide®)
- Edrophonium (Enlon®; Reversol®)
- Efavirenz (Sustiva®)
- Eletriptan (Relpax®)
- Enalapril (Vasotec®)
- Entacapone (Comtan®)
- Ephedrine (Pretz-D® [OTC])
- Epinephrine (Adrenalin®; EpiPen® Jr; EpiPen®; Primatene® Mist [OTC]; Raphon [OTC]; S2® [OTC]; TwinjectTM)
- Epoprostenol (Flolan®)
- Eprosartan (Teveten®)
- Ergonovine (NA)
- Erythropoietin (NA)
- Escitalopram (Lexapro®)
- Esmolol (Brevibloc®)
- † Esomeprazole (Nexium®)
- Estazolam (ProSom®)
- Eszopiclone (LunestaTM)
- Etoposide (Toposar®; VePesid®)
- Etoposide Phosphate (Etopophos®)
- Exemestane (Aromasin®)
- Exenatide (ByettaTM)
- Fat Emulsion (Intralipid®; Liposyn® III)



- Femoxetine (NA)
- Fenofibrate (AntaraTM; LipofenTM; LofibraTM; TriCor®; TriglideTM)
- † Fentanyl (Actiq®; Duragesic®; Sublimaze®)
- Ferric Gluconate (Ferrlecit®)
- Filgrastim (Neupogen®)
- Fludrocortisone (Florinef®)
- Fludarabine (Fludara®)
- Flumazenil (Anexate®; Romazicon®)
- Flunisolide (AeroBid®-M; AeroBid®; Nasarel®)
- Fluoxetine (Prozac® WeeklyTM; Prozac®; Sarafem®)
- Flupenthixol (NA)
- Flurazepam (Dalmane®)
- Fluticasone and Salmeterol (Advair Diskus®)
- Fluvoxamine (NA)
- Fomivirsen (VitraveneTM [DSC])
- Foscarnet (Foscavir®)
- Frovatriptan (Frova®)
- Fulvestrant (Faslodex®)
- Gadopentetate Dimeglumine (Magnevist®) Gatifloxacin (Tequin®; ZymarTM)
- Gepirone (NA)
- Glatiramer Acetate (Copaxone®)
- † Glipizide (Glucotrol® XL; Glucotrol®)
- Goserelin (Zoladex®)
- Guanfacine (Tenex®)
- Haloperidol (Haldol® Decanoate; Haldol®)
- Hepatitis A Inactivated and Hepatitis B (Recombinant) Vaccine (Twinrix®)
- Hepatitis B Vaccine (Engerix-B®; Recombivax HB®)
- Hexoprenaline (NA)
- Histrelin (VantasTM)
- Hydralazine (NA)
- † Hydrocodone (Anexsia®; Bancap HC®; Ceta-Plus®; Co-Gesic®; hycetTM; Loracet® 10/650; Loracet® Plus; Loracet®-HD [DSC]; Lortab®; Margesic® H; MaxidoneTM; Norco®; Stagesic®; Vicodin® ES; Vicodin® HP; Vicodin®; Vicoprofen®, Zydome®)
- Ibritumomab (Zevalin®)
- Imipramine (Tofranil-PM®; Tofranil®)
- Immune Globulin (Intravenous) (CarimuneTM NF; Gammagard® Liquid; Gammagard® S/D; Gammar®-P I.V.; Gamunex®; IVEEGAM EN; Octagam®; Panglobulin® NF; Polygam® S/D)
- Indium IN 111 Pentetreotide (Octreoscan®)
- Indocyanine Green (IC-Green®)
- † Indomethacin (Indocin®)
- Infliximab (Remicade®)
- Insulin Inhalation (Exubera®)
- † Insulin Regular (Humulin® R (Concentrated) U-500; Humulin® R; Novolin® R)
- Interferon Alfa-2a (Roferon-A®)
- Interferon Alfa-2b (Intron® A)
- Interferon Alfa-n3 (Alferon® N)
- Interferon Alfacon-1 (Infergen®)
- Interferon Beta-1b (Betaseron®)
- Interleukin-3 (NA)



- Iodixanol (VisipaqueTM)
- Ipratropium and Albuterol (Combivent®; DuoNebTM)
- Irinotecan (Camptosar®)
- Iron Dextran Complex (Dexferrum®; INFeD®)
- Iron Supplements (Parenteral) (Dexferrum®; Ferrlecit®; INFeD®; Venofer®)
P
- Isocarboxazid (Marplan® Tablets)
- Isoproterenol (Isuprel®) **P**
- Isosorbide Dinitrate and Hydralazine (BiDil®)
- Isotretinoin (Accutane®; AmnesteemTM; ClaravisTM; Sotret®)
- Ketorolac (Acular LSTM; Acular® PF; Acular®; Toradol®)
- Labetalol (Trandate®)
- Leflunomide (Arava®)
- Lenalidomide (Revlimid®)
- Lentinan (Better Cholestorol®)
- Letrozole (Femara®)
- Leuprolide (Eligard®; Lupron Depot-Ped®; Lupron Depot®; Lupron®; Viadur®)
- Levalbuterol (Xopenex HFATM; Xopenex®)
- Levobupivacaine (Chirocaine® [DSC])
- Levodopa and Carbidopa (ParcopaTM; Sinemet® CR; Sinemet®)
- † Levothyroxine (Levothroid®; Levoxyl®; Synthroid®; Unithroid®)
- † Lidocaine and Epinephrine (LidoSiteTM; Xylocaine® MPF With Epinephrine; Xylocaine® With Epinephrine) Liothyronine (Cytomel®; Triostat®) **P**
- Liotrix (Thyrolar®)
- Lisdexamfetamine (VyvanseTM)
- † Lisinopril (Prinivil®; Zestril®)
- Lodoxamide (Alomide®)
- Lofepramine (NA)
- Lopinavir and Ritonavir (Kaletra®)
- † Loratadine (Apo-Loratadine®; Claritin® Kids; Claritin®)
- Lorcainide (NA)
- Losartan (Cozaar®)
- Maprotiline (NA)
- Mechlorethamine (Mustargen®) **P**
- MedroxyPROGESTERone (Depo-Provera® Contraceptive; Depo-Provera®; depo-subQ provera 104TM; Provera®)
- Mefloquine (Lariam®)
- Megestrol (Megace® ES; Megace®)
- Melphalan (Alkeran®) **P**
- † Mepivacaine (Carbocaine®; Polocaine® Dental; Polocaine® MPF; Polocaine®)
- Mepivacaine (Dental) (Carbocaine®; Polocaine®)
- Mepivacaine and Levonordefrin (Carbocaine® 2% with Neo-Cobefrin®)
- Meptazinol (NA)
- Meropenem (Merrem® I.V.)
- Mesalamine (Asacol®; CanasaTM; Pentasa®; Rowasa®)
- Metaproterenol (Alupent®)
- Methadone (Dolophine®; Methadone Diskets®; Methadone IntensolTM; Methadose®)
- Methotriimeprazine (NA)



- Methylene Blue (Urolene Blue®)
- Methylergonovine (Methergine®)
- Metoprolol and Hydrochlorothiazide (Lopressor HCT®)
- Mexiletine (Mexitil® [DSC])
- Midodrine (ProAmatine®)
- Milnacipran (Savella™)
- Misoprostol (Cytotec®)
- Moclobemide (NA)
- Modafinil (Alertec®; Provigil®)
- Morphine Sulfate (Astramorph/PFTM; Avinza®; DepoDurTM; Duramorph®; Infumorph®; Kadian®; MS Contin®; Oramorph SR®; RMS®; Roxanol 100TM; RoxanolTM-T [DSC]; RoxanolTM)
- † Moxifloxacin (Avelox® I.V.; Avelox®; VigamoxTM)
- Muromonab-CD3 (Orthoclone OKT® 3)
- Mycophenolate (CellCept®; Myfortic®)
- Nabumetone (Relafen®)
- Nadolol (Corgard® Tablets)
- Nalbuphine (Nubain®)
- Naloxone (Narcan® [DSC])
- Naphazoline and Antazoline (Vasocon®-A [OTC] [DSC])
- † Naproxen (Aleve® [OTC]; Anaprox® DS; Anaprox®; EC-Naprosyn®; Midol® Extended Relief; Naprelan®; Naprosyn®; Pamprin® Maximum Strength All Day Relief [OTC])
- Naratriptan (Amerge®)
- Nefazodone (Serzone®)
- Nefopam (NA)
- Nelfinavir (Viracept®)
- Neostigmine (Prostigmin®)
- Nesiritide (Natrecor®)
- Niacin (Niacor®; Niaspan®; Slo-Niacin® [OTC])
- Nicardipine (Cardene® I.V.; Cardene® SR; Cardene®)
- † Nicotine (CommitTM [OTC]; NicoDerm® CQ® [OTC]; Nicorette® [OTC]; Nicotrol® Inhaler; Nicotrol® NS; Nicotrol® Patch [OTC])
- † Nifedipine (Adalat® CC; AfeditabTM CR; NifediactM CC; NifedicalTM XL; Procardia XL®; Procardia®) Nilutamide (Nilandron®)
- Nimesulide (NA)
- Nimodipine (Nimotop®)
- Nisoldipine (Sular®)
- Nitazoxanide (Alinia®)
- Nitroprusside (Nitropress®)
- Norepinephrine (Levophed®) P
- *Nortriptyline (Pamelor®)
- Octreotide (Sandostatin LAR®; Sandostatin®)
- Olanzapine (Zyprexa® Zydis®; Zyprexa®)
- † Omeprazole (Prilosec OTCTM [OTC]; Prilosec®)
- Omeprazole and Sodium Bicarbonate (Zegerid®)
- Oxprenolol (NA)
- † Oxycodone (OxyContin®; OxydoseTM; OxyFast®; OxyIR®; RoxicodoneTM IntensolTM; RoxicodoneTM) Oxycodone and Ibuprofen (CombunoxTM)
- Oxymetazoline (4-Way® 12 Hour [OTC]; Afrin® Extra Moisturizing [OTC]; Afrin® Original [OTC]; Afrin® Severe Congestion [OTC]; Afrin® Sinus [OTC]; Duramist® Plus [OTC]; Duration® [OTC]; Genasal [OTC]; Neo- Synephrine®)

- 12 Hour Extra Moisturizing [OTC]; Neo-Synephrine® 12 Hour [OTC]; NRS® [OTC]; N_strilla® [OTC]; Vicks Sinex® 12 Hour Ultrafine Mist [OTC]; Vicks Sinex® 12 Hour [OTC]; Visine® L.R. [OTC]) **P** Papaverine (Para-Time SR®)
- † Paroxetine (Paxil CR®; Paxil®; Pexeva®)
 - Peginterferon Alfa-2a (Pegasys®)
 - Peginterferon Alfa-2b (PEG-Intron®)
 - Pentazocine (Talwin® NX; Talwin®)
 - Pentazocine and Acetaminophen (Talacen®)
 - Perflutren Lipid Microspheres (Definity®)
 - Pericyazine (Neuleptil®)
 - Perindopril Erbumine (Aceon®)
 - Perphenazine (NA)
 - Phendimetrazine (Bontril PDM®; Bontril® Slow-Release; Melfiat®; Obezine® [DSC]; Prelu-2® [DSC]) Phenelzine (Nardil®)
 - Phenyltoloxamine (Myogesic®)
 - Physostigmine (NA)
 - Phytonadione (Mephyton®)
 - ***Pilocarpine (Isoto® Carpine; Pilopine HS®; Salagen®)**
 - Pimozide (Orap®)
 - Piperacillin and Tazobactam Sodium (Zosyn®)
 - Pipotiazine (NA)
 - Pirbuterol (MaxairTM AutohalerTM) **P**
 - Piritramide (NA)
 - Prazepam (NA)
 - Praziquantel (Biltricide®)
 - † Prednisolone (AK-Pred®; Bubbli-PredTM [DSC]; Econopred® Plus; Orapred®; Pediapred®; Pred Forte®; Pred Mild®; Prelone®)
 - Prilocaine (Citanest® Plain)
 - Prilocaine and Epinephrine (Citanest® Forte Dental)
 - Prochlorperazine (ComproTM)
 - Propafenone (Rythmol® SR; Rythmol®)
 - Proparacaine (Alcaine®; Ophthentic®)
 - Propoxyphene (Darvocet®; Darvon®)
 - Protein C, Human (Ceprotin)
 - Protirelin (Thyrel® TRH [DSC])
 - ***Protriptyline (Vivactil®)**
 - Pseudoephedrine (Biofed [OTC]; Contact® Cold [OTC]; Dimetapp® 12-Hour Non-Drowsy Extentabs® [OTC]; Dimetapp® Decongestant Infant [OTC]; ElixSureTM Congestion [OTC]; Genaphed® [OTC]; Kidkare Decongestant [OTC]; Kodet SE [OTC]; Oranyl [OTC]; PediaCare® Decongestant Infants [OTC]; Silfedrine Children's [OTC]; Simply StuffyTM [OTC]; Sudafed® 12 Hour [OTC]; Sudafed® 24 Hour [OTC]; Sudafed® Children's [OTC]; Sudafed® [OTC]; Sudo-Tab® [OTC]; Sudodrin [OTC]; SudoGest [OTC])
 - Pyridostigmine (Mestinon® Timespan®; Mestinon®; Regonol®) Quetiapine (Seroquel®)
 - Quinapril (Accupril®)
 - Quinapril and Hydrochlorothiazide (Accuretic®; Quinaretic) Quinupristin and Dalfopristin (Synercid®)
 - Rabeprazole (AcipHex®) Raloxifene (Evista®) Raltegravir (Isentress)
 - Raltitrexed (NA)
 - Ramipril (Altace®)
 - Rasagiline (Azilect®)



- Reboxetine (NA)
- Rho(D) Immune Globulin (BayRho-D® Full-Dose; BayRho-D® Mini-Dose; MICRhOGAM®; RhoGAM®; Rhophylac®; WinRho® SDF) Ribavirin (Copegus®; Rebetol®; RibasphereTM; Virazole®) Rimantadine (Flumadine®)
- Ritonavir (Norvir®)
- Rivastigmine (Exelon®)
- Rizatriptan (Maxalt-MLT®; Maxalt®) Rofecoxib (Vioxx® [DSC])
- Rolipram (NA)
- Ropinirole (Requip®)
- Rotigotine (Neupro®)
- Satumomab Pendetide (Octreoscan®)
- Secretin (SecreFloTM)
- Selegiline (Eldepryl®; Emsam®)
- Selenium (Selenicaps [OTC]; Selenimin [OTC]; Selepen®)
- Selenium Sulfide (Exsel® [DSC]; Head & Shoulders® Intensive Treatment [OTC]; Selsun Blue® 2-in-1 Treatment [OTC]; Selsun Blue® Balanced Treatment [OTC]; Selsun Blue® Medicated Treatment [OTC]; Selsun Blue® Moisturizing Treatment [OTC]; Selsun®)
- † Sertraline (Zoloft®)
- Sibutramine (Meridia®)
- Sincalide UKinevac®
- Sirolimus (Rapamune®)
- Sodium Oxybate (Xyrem®)
- Somatropin (Genotropin Miniquick®; Genotropin®; Humatrope®; Norditropin® NordiFlex®; Norditropin®; Nutropin AQ®; Nutropin®; Saizen®;
- Serostim®; Tev-TropinTM; ZorbtiveTM)
- Sotalol (Betapace AF®; Betapace®; Sorine®)
- Streptokinase (Streptase®)
- Sulpiride (NA)
- † Sumatriptan (Imitrex®)
- Tacrine (Cognex®)
- Tacrolimus (Prograf®; Protopic®)
- † Tadalafil (Cialis®)
- Tamoxifen (Nolvadex® [DSC]; SoltamoxTM)
- Tegaserod (Zelnorm®)
- Telithromycin (Ketek®)
- Telmisartan (Micardis®)
- Telmisartan and Hydrochlorothiazide (Micardis® HCT)
- Temazepam (Restoril®)
- Tenofovir (Viread®)
- Terbutaline (Brethine®)
- Testosterone (Androderm®; AndroGel®; Delatestryl®; Depo®-Testosterone; First® Testosterone MC; First® Testosterone; Striant®; Testim®; Testopel®)
- Thalidomide (Thalomid®)
- Thiothixene (Navane®)
- Thyroid (Armour® Thyroid; Nature-Throid® NT; Westhroid®)
- Tiagabine (Gabitril®)
- Tigecycline (TygacilTM)
- Tinidazole (TindamaxTM)
- Tirofiban (Aggrastat®)
- Tocainide (Tonocard® [DSC])
- Tolcapone (Tasmar®)

- Topiramate (Topamax®)
- Toremifene (Fareston®)
- Tositumomab and Iodine I 131 Tositumomab (131 I Anti-B1 Antibody; 131 I Anti-B1 Monoclonal Antibody; Anti- CD20-Murine Monoclonal Antibody I-131; B1 Antibody; B1; Iodine I 131 Tositumomab and Tositumomab; Tositumomab I-131)
- ***Trace Metals (Iodopen®; M.T.E.-4®; M.T.E.-5®; M.T.E.-6®; M.T.E.-7®; Molopen®; MultitraceTM-4 Neonatal; MultitraceTM-4 Pediatric; MultitraceTM-4; MultitraceTM-5; Neotrace-4®; P.T.E.-4®; P.T.E.-5®; Pedtrace-4®; Selepen®) P**
- Tramadol (Ultram® ER; Ultram®)
- Tranylcypromine (Parnate®)
- † Trazodone (Trialodine®; Desyrel®)
- Tretinoin (Oral) (Vesanoid®)
- Triamcinolone (Aristocort® A; Aristocort®; Aristospan®; Azmacort®; Kenalog-10®; Kenalog-40®; Kenalog®; Nasacort® AQ; Tri-Nasal®; Triderm®)
- Triprolidine and Pseudoephedrine (Actifed® Cold and Allergy [OTC]; Allerfrim® [OTC]; AphedridTM [OTC]; Aprodine® [OTC]; Genac® [OTC]; Silafed® [OTC]; Sudafed® Sinus Nighttime [OTC]; Tri-Sudo® [OTC])
- Triprolidine, Pseudoephedrine, and Codeine (Triacin-C® [DSC])
- Tulobuterol (NA)
- Urokinase (Abbokinase® [DSC])
- Vaccinia Immune Globulin (Intravenous) (CNJ-016TM)
- † Vardenafil (Levitra®)
- Vasopressin (Pitressin®)
- Venlafaxine (Effexor® XR; Effexor®)
- Vasopressin (Pitressin®)
- † Verapamil (Calan® SR; Calan®; Covera-HS®; Isoptin® SR; Verelan® PM; Verelan®)
- Xylometazoline (Otrivin® Pediatric [OTC] [DSC]; Otrivin® [OTC] [DSC])
- Yohimbine (Aphrodyne®; Yocon®)
- Ziconotide (Prialt®)
- Zidovudine (Retrovir®)
- *† **Zinc Supplements (Cold-Eeze® [OTC; GalzinTM; Orazinc® [OTC]; Zincate®) P**
- Ziprasidone (Geodon®)
- Zolmitriptan (Zomig-ZMTTM; Zomig®)
- † Zolpidem (Ambien CRTM; Ambien®)
- Zonisamide (Zonegran®)
- Zopiclone (NA)
- Zuclopentixol (NA)